



RMA
PACKAGING

2023 CATALOGUE



FULLY AUTOMATIC RING STRETCH WRAPPING MACHINES

Our machines provide the best solutions with the highest of quality to protect your loads, assuring maximum stability, the best presentation and excellent yield of stretch film.

- Load remains static
- Less mechanical wearing parts reduces maintenance
- Maximum quality, high performance and minimum maintenance
- No film tails due to efficient cutting and welding system
- Guaranteed film savings – power film stretch of 300% (1m becomes 4m)
- Ability to apply bands at any height of load
- Electronic control & self-adjusting film tension depending on profile of load
- Option to wrap at ground level

LOW
CAPACITY
UP TO
45
PALLETS/HOUR



MOVITEC
WRAPPING TECHNOLOGY

SATURN S2

MEDIUM
CAPACITY
UP TO
70
PALLETS/HOUR



MOVITEC
WRAPPING TECHNOLOGY

SATURN S4

HIGH
CAPACITY
UP TO
120
PALLETS/HOUR



MOVITEC
WRAPPING TECHNOLOGY

SATURN S6

MAXIMUM
CAPACITY
UP TO
160
PALLETS/HOUR




MOVITEC
WRAPPING TECHNOLOGY

SATURN S8


OPTIONALS




Top sheet dispenser



Independent top sheet dispenser



Motorized hold down plate



Roping device




ARC: Automatic Reel Change




EPS: Electronic Pre-stretch System

COMPLETE WRAPPING SOLUTIONS


01




02




03




04



05



06



01. Simple wrapping from top down

02. Simple wrapping from bottom up down

03. Double wrapping beginning and ending at any point of the load's height

04. Band-type wrapping at any height

05. Waterproof or dustproof protection wrapping cycles

06. Individual wrapping of stacked pallets (with 2 welds of film) or as if they were a single pallet



SEMI AUTOMATIC TURNTABLE PALLET WRAPPING MACHINES

Standard Features (all models)

- Black height photocell to identify dark objects
- Three automatic wrapping cycles
- Three user friendly adjustable knobs to control;
 1. Film tension
 2. Turntable speed
 3. Carriage speed
- Touch panel screen
- Adjustable top & bottom wraps
- Variable carriage & turntable speed
- Wrap cycle counter
- Forklift transportable at both ends (excl. PSE5300)
- Heavy duty turntable rollers

Optional

- Extended column height to increase wrap height (no limit)
- Heavy duty 3000kg turntable capacity
- Pallet spacer to wrap film underneath pallet
- Top platen for unstable loads
- Loading ramp
- Forklift bumper stop


PSE5000 • Electromagnetic film tension



PSE5100 • 200% power control stretch



PSE5200 • 200% power control stretch • Turntable scales




PSE5300

- LOW 30mm profile turntable
- In built ramp with 270° access
- Designed for use with hand and battery forklift trucks
- 200% power control stretch



PSE5400

- Remote control start (forklift operator remains on forklift)
- Automatic cut, clamp & weld
- 200% power control stretch



AUTOMATIC TURNTABLE PALLET WRAPPING MACHINE

TOTAL CLOSE

Automatic Packaging System for a total closure of the package using PE Plastic, Bubble Wrap or PE Foam + Stretch Film



GG MACHINE
Wrapping Machine Packaging Automation

'AT' SERIES

AUTO

Automatic Banding and Spiral Wrapping Machines are used for a diverse range of products with irregular shapes and sizes



GG MACHINE
Wrapping Machine Packaging Automation

'AT' SERIES

SEMI AUTO

Semi Auto Banding and Spiral Wrapping Machines are controlled by the operator with a foot pedal to start & stop the wrapping cycle



GG MACHINE
Wrapping Machine Packaging Automation

'AT' SERIES



GG MACHINE
Wrapping Machine Packaging Automation

'EVORING' SERIES



GG MACHINE
Wrapping Machine Packaging Automation

'EVORING' SERIES



GG MACHINE
Wrapping Machine Packaging Automation

'EVORING' SERIES

TWISTER

Equipped with Vertical Ring Movement (VRM) which automatically positions ring so pack is always wrapped in the centre of the ring ensuring the perfect wrap no matter what height of pack




SPEED WRAPPER

Compact hi speed machine (180rpm) with 240mm film spool



OPEN RING

Designed to wrap a variety of 'ring 'shaped products from small hose to large coils of steel of various sizes



GOLDFLEX MANUAL

Semi Auto carton erector forms & holds the four bottom flaps of carton during filling of carton



ELENA MARCHETTI

GOLDFLEX AUTOMATIC

Carton erector forms the carton & folds the four bottom flaps automatically. The case erector can be combined with a carton sealer to tape the bottom of carton before going to filling process



ELENA MARCHETTI

GOLDTAPE COMPACT

Semi Auto Compact top & bottom carton sealer



ELENA MARCHETTI

GOLDTAPE 50 - 65 - 80

Semi Auto side belt drive



ELENA MARCHETTI

GOLDTAPE 32 - 34 - 346

Semi Auto top & bottom belt drive



ELENA MARCHETTI

GOLDTAPE 34R - 346R

Auto (Random) Top & Bottom belt drive



ELENA MARCHETTI

GOLDTAPE 56FL - 608FL

Automatic manual adjustable for automatic folding of the top four flaps and simultaneous tape sealing of the top and bottom flaps



ELENA MARCHETTI

DCA 50 F - MOTORISED ROLLER CONVEYOR

Machine is adjusted through one handle to adjust side guides for box width, machine drives the box in its centre and gives the desired distance between each box



ELENA MARCHETTI

TAPING HEADS

Special design ensuring consistent pressure on box even when box does not have an even surface



ELENA MARCHETTI

FULLY AUTOMATIC MOTORISED BELT

High performance fully automatic strapping of 5mm to 15mm PP strap, auto loading, looping ejector, short feeding sensor and coil & eject system



AUTOMATIC IDLE ROLLERS

Push button high performance automatic strapping of 5mm to 15mm PP strap, auto loading, looping ejector, short feeding sensor and coil & eject system



SEMI AUTOMATIC

Ergonomic design, side lift table & adjustable table height



ZAPACK Z97

Lightest model in its class (3.4kgs) relieves operator fatigue



CHT450

Battery operated PET/PP Strapping Tool 12-32mm



H/D PET/PP TENSIONER

12 to 19mm



H/D PET/PP SEALER

12 to 19mm



H/D MOBILE DISPENSER



STRAP BANDIT

Feeding tool for under timber pallet



'FD' SERIES

Film is applied to panel without overflow and can be adjusted more or less than the edge, designed for panel masking to avoid overspray



RAFALE

With two power levels it adapts to the most demanding working environments



HORNET

Very lightweight (500g) makes for easy operation, quick & easy interchangeable range of burners from 30 to 160kW



CARRY CASE

Includes 8m hose with swivel connection, regulator, 2 burners (1x 30kW, 1x 90kW), spare piezo ignition, pair of gloves



ANTI SLIP PALLET SHEETS



PALCUT 1200 DISPENSER



ANTI SLIP PAPER

- Slip angel of more than 50°
- NO plastic – 100% recyclable using FSC certified paper

QUANTITY PER PALLET

ANTI SLIP SHEETS – 5000
CARDBOARD SHEETS – 500

ADVANTAGES

- Storage cost – Reduce storage cost up to 80%
- Handling cost – Reduced forklift unloading/loading
- Product costs – Pallet of Antim sheets range from 2500–5000pcs compared to 300–500pcs of cardboard pads
- Transportation breakdown – Load is considerably more stable eliminating products slipping during transit
- Pallet control/de hire – 2 pallets compared to 20 of cardboard
- Stretch film – Reduced use of stretch film due to increased load stability
- Quality of outer carton – increased stabilisation results in the option to use lighter more economical grade for outer carton eg recycled board

GRADE	SIZE	PALLET QTY
ANTI SLIP PALLET SHEETS – BOTH SIDES		
MEDIUM	1100×1100mm	5000
HEAVY	1100×1100mm	3800
SUPER HEAVY	1100×1100mm	3000
WATER RESISTANT ANTI SLIP PALLET SHEETS – BOTH SIDES		
WR HEAVY+	1100×1100mm	3500
ANTI SLIP PAPER REEL – BOTH SIDES		
MEDIUM	1100mm	4000m
HEAVY	1100mm	2800m




VENTFILM - Ventilated Stretch Film

- New Generation VENTfilm
- The only ventilated stretch film that requires NO additional support elements
- Load Stability with Ventilation


BENEFITS INCLUDE

- Maintains constant temperature
- Reduces internal condensation
- Prevents development of bacteria
- Perfect for hot or cold palletised products
- Fast cooling/drying/freezing
- Increased shelf life to valuable produce
- Excellent clarity
- More convenient & reduced cost to angles/strap
- Easy cut and weld at end of wrap cycle
- 100% recyclable

PRODUCT	SIZE	ELONGATION	LENGTH AFTER STRETCH
VENTFILM 300	500mmx1000m	300%	4000m
VENTFILM 250	500mmx1200m	250%	4200m
VENTFILM 250 XTRA	500mmx1500m	250%	5250m
VENTFILM GREEN 45	500mmx2500m	45%	3625m
VENTFILM BASIC	420mmx4000m	15%	4600m
VENTFILM REINFORCED	420mmx3000m	15%	3450m



BEFORE elongation (27mm)



AFTER elongation (MIN 100mm)



HAND STRETCH FILM

EZYWRAP XTRA



BLACK



WHITE



BLUE TINT



RED TINT



PLASTIC ENDS




DISPENSER



LITEWRAPPER



HAND BUNDLING STRETCH FILM & DISPENSER



MACHINE STRETCH FILM

'X' WRAP



MACWRAP



'M' SERIES



EZYWRAP



BLACK



BLUE TINT



RED TINT



MACHINE BUNDLING STRETCH FILM



NETwrap PRE STRETCH**NETwrap STRETCH**

Offers elongation which provides excellent load stability

**NETwrap PRE STRETCH**

Keeps its width under high tension


**CLEAR LDPE****CLEAR HDPE****BLACK LDPE****ELASTIC WOVEN****CLEAR****BLACK****PET****PP MACHINE****PP H/D HAND****BLUE****CLEAR****BLACK/WHITE**

Removable self-adhesive protective film

The PSE Air Cushion system provides excellent protection and efficient void-fill with minimal material and warehouse space

ProtectAIR Mini Air 11

Compact & efficient, air pillows and air bubbles, 8m/min, no belt, no preheating and no air compressor



ProtectAIR MARK II

Produces air pillows, air bubbles and air tube max 25m/min, no belt less maintenance, no compressor or preheating required



AIR PILLOW 10

100×100mm




AIR PILLOW 20

100×200mm



BUBBLES

400×400mm



BIO AIR - BUBBLES/PILLOWS

Biodegradable air cushion film provides cushion protection and shock absorber with an eco-friendly material. It will degrade into water and carbon within one year



PAPER FILLER/ WRAPPER

Made of biodegradable film and Kraft paper material which is a new eco-friendly cushion material - 100% biodegradable



AIR COLUMN BAG

This patented product offers extremely strong cushion protection guaranteeing no damage to valuable goods - smooth air flow, one way air valve, no heating. Film/bags custom made to any shape/size required.



EZY-PAPER CUSHION MACHINE

Paper is squeezed and folded to form a paper cushion to be used for filling, padding and bracing. Machine has preset mode to produce paper cushion in different lengths and quantities



EZY-PAPER AUTO HONEYCOMB PAPER MACHINE

A sustainable alternative to bubblewrap and foam
Natural organic look offers excellent presentation
No tape required as the honeycomb structure locks product in place



EZY-PAPER MANUAL HONEYCOMB PAPER DISPENSER

Manual paper wrap dispenser with small footprint and no need for electricity. After stretching, the 3D honeycomb structure provides cushioning and can be used also as a box void filler



EZY-PAPER WRAP BOX HONEYCOMB PAPER

Simple eco-friendly void fill packing solution, perfect for start-up sustainable packaging



EZY-PAPER WRAP BOX HONEYCOMB PAPER DISPENSER

Simple eco-friendly wrapping solution including white paper to eliminate risk of damage from honeycomb paper



X BOARD

Premium grade cardboard edge protector available in any length and thickness

WATER REPELLENT EDGE PROTECTORS

The feature is a must-have for cold-chain logistics, or operate in a high-moisture environment



PISTOL GRIP H75

Suits 75mm ID core



PISTOL GRIP H38

Suits 38mm ID core



COMPACT H122

Ideal for strapping and filament tape



MACHINE



HAND



KINGTAPE

150m rolls reduces roll changeovers, space, freight and roll cost



FRAGILE



CUSTOM PRINTED

Print your own logo on any width tape improving the presentation and security



NATURAL RUBBER PACKAGING TAPE

The very best carton sealing tape due to its high grade adhesive which adheres to all surfaces including recycled cardboard



CLEAR STRAPPING TAPE

Made in Italy. Unbreakable with minimal adhesion, ideal for palletising and bundling.



BLACK STRAPPING TAPE

Very strong with minimal adhesion, ideal for palletising and bundling



FILAMENT TAPE

One Way Reinforced. Strong with high tack adhesive



FILAMENT TAPE

Two Way Reinforced. Super strong with high tack adhesive for heavy duty applications



MASKING TAPE

Made in Italy. Excellent adhesion for general purpose masking applications



HIGH TEMP MASKING TAPE

Made in Italy. Premium grade masking tape for high temperature applications



RMA PACKAGING

MELB – ADEL – SYD – PER – BRIS – TAS

1300 762 888 – sales@rmapackaging.com.au